MORE FROM WOOD.

EGGER

Revision: 02
Approved: 24.10.2025

Self-Declaration According to ISO14021

Environmental & Health Data Sheet

EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR

Recipe: **142, 144, 146**



LEED
WELL v2™
BREEAM International v6
DGNB
QNG
CAM Italy

Our EcoFacts show the environmental impact of our product at a glance.*

GWP-total**: **-13.8 kgCO_2/m²**
GWP-fossil: **3.9 kgCO_2/m²**
GWP-biogenic: **-17.7 kgCO_2/m²**
GWP-luluc: **0.01 kgCO_2/m²**

20% Primary raw materials****
80% Materials from the circular economy
5% of which is pre-consumer recycling material,
40% of which is post-consumer recycling material,
53% of which is by-products from the sawmill industry

Recyclable***

88% material from renewable resources,
12% material from fossil resources

*EcoFacts may differ from EcoFacts on EGGER-Website due to other calculation bases. EcoFacts Circularity and Renewable Resources are based on recipe specific internal calculations. EcoFacts are not valid for Caorso plant.
**Link to EPD provided in chapter "Relevant Documents"
***Chapter "End of Life" describes procedures for possible utilization streams
****Wood from sustainable forestry, specifically thinning wood or roundwood that cannot be sawn, represents the biggest share in this category

Table of Content

Raw Materials & Primary Products **2**
Wood Origin 2
Constituent Materials 2
Product Emissions and Health Aspect 3
Processing & Use **3**
Safety, Processing and Maintenance Instructions 4
End of Life – Reuse, Recycling, Incineration **4**
Compliances and Certifications **6**
Production Plants and their Certifications 6
Compliance with Building Certificates 6
Relevant Documents for Building Certificates 6
Footnotes **15**
Plant Addresses 15
List of Abbreviations 15

Raw Materials & Primary Products

Wood Origin

Our plants are certified according to the standard ISO 38200:2018. Further information about our principles for sustainable forest management and wood purchase can be found in our Manufacturer Declaration on Sustainable Forestry VRG 229, for information on our timber origin please refer to our Manufacturer Declaration on Timber Origin VRG 270.
Upon request, our products can be listed on our sales documents with additional 3rd party certification claims, depending on their availability during production.
Links to the certificates can be found in the relevant documents for building certificates.

Constituent Materials

EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR is a composite wood based, UF- and UMF-bonded panel. The table below contains 99.9% of the primary products, measured by dry weight. Proportions may vary between individual product thicknesses. Listed is the average across all thicknesses and all production plants based on the values from fiscal year 2024. All chemicals have been evaluated and are disclosed down to 1000 ppm.

Proportion	Function	Composition
88 %	Dry wood chips (core board)	Industrial round wood, sawmill by-products, Pre- and Post-consumer recycling wood
9 %	Glue (core board)	Mix of Urea-Formaldehyde Glue (UF) and Urea-Melamine-Formaldehyde Glue (UMF)
3 %	Decorative surface layer	42 % decor paper (virgin cellulose, print color) 38 % melamine-formaldehyde resin*
< 1 %	Hydrophobing agent (core board)	Paraffine wax emulsion

Proportion	Function	Composition
< 1 %	Formaldehyde scavenger (core board)	Technical Urea
< 1 %	Glue (core board)	Isocyanate (MDI)*
< 0.5 %	Hardener (core board)	Ammonium nitrate / Ammonium sulphate / Chloride-free

*During the pressing process, the aminoplastic adhesive/MDI hardens fully. Under normal conditions, it is bound to the wood and chemically stable.

Product Emissions and Health Aspect

The product emits formaldehyde and volatile organic compounds from the used wood. During the EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR's manufacturing processes, heat and pressure is applied in a short cycle press. The used resins are cured in the production process. In the use phase, the product is chemically stable under normal conditions. There are no known health hazards or adverse health effects to be expected under normal conditions, when the product is used as intended.
The product is subjected to annual emission tests within the scope of TÜV PROFiCERT-product Interior surveillance by an independent third party. These tests are done at each plant, thus the TÜV PROFiCERT-product Interior certificates are plant-specific, too. Your local sales person can provide you with the according documentation.
Requirements listed as met "via TÜV PROFiCERT" are NOT CERTIFIED stand-alone in this category!
The following table contains an overview of requirements, on which the product has been tested by an independent third party and fulfills the emission requirements. For further information and for emission thresholds, please refer to the "Criteria for Allocation Interior", available at the PROFiCERT-Website.

Requirements	Substance/Indicator	Fulfillment	Requirement Details
E1 (E05)	Formaldehyde	✓	Formaldehyde class E1, external testing, compliant with REACH already as raw board
TSCA Title VI	Formaldehyde	✓	U.S. Toxic Substances Control Act, external certification (core board)
E_{NF}	Formaldehyde	✓	GB/T 39600-2021 compliant– external testing on faced boards
F****	Formaldehyde	✓	Formaldehyde class F**** according to JIS A 5908:2003, external testing (core board)
AgBB 2024	VOC, Carcinogens	✓	Via TÜV PROFiCERT-product interior Standard
French VOC regulation, Emission Class A	VOC	✓	
Belgian VOC Regulation	VOC	✓	
CAM Italy (Building Products)	VOC, Formaldehyde, Carcinogens, Harmful Substances	✓	
Austrian Ecolabel, Guideline UZ 07	VOC	✓	
DE-UZ 76 (Blue Angel)	VOC, Formaldehyde, Carcinogens, Harmful Substances	✓	
ChemVerbotsV E1 DE 2020	VOC, Formaldehyde, Carcinogens, Harmful Substances	✓	
LEED v4 (Outside of North America)	Formaldehyde	✓	

Requirements	Substance/Indicator	Fulfillment	Requirement Details
BREEAM General Level	VOC, Formaldehyde, Carcinogens	✓	
QNG Anforderungskatalog 313, Version 1.3	Formaldehyde, VOC	✓	
French VOC Regulation, Emission Class A+	VOC	✓	Additional with TÜV PROFiCERT-product interior PREMIUM
Finnish M1 Classification	VOC	✓	
DGNB	Formaldehyde, VOC	✓	
BREEAM Exemplary Level	VOC, Formaldehyde, Carcinogens	✓	
Austrian Environmental Label, Guideline UZ 07	VOC	✓	
CAM Italy (Furniture)	VOC, Formaldehyde, Harmful Substances	✓	

Processing & Use

Safety, Processing and Maintenance Instructions

This product is not hazardous in the form in which it is shipped by the manufacturer. Downstream activities (e.g. grinding, sanding, cutting or pulverizing) may generate wood dust, which is hazardous. Wear a respiratory mask if using hand tools without a dust extraction device. Observe all liability insurance association regulations for commercial processing operations (e.g. safety goggles).
For further information on safety, processing or maintenance instructions, see:

- Technical Datasheet
- Processing Instructions
- Cleaning and Care Instructions

End of Life – Reuse, Recycling, Incineration

Waste code according to European Waste Catalogue, depending on origin of the waste:

- 17 02 01 Construction & Demolition Waste Wood or
- 03 01 05 Sawdust, Shavings, Cuttings, Wood, Particle Board and Veneer Not Containing Hazardous Substances

The product is not classified as hazardous waste. Used EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR can be classified as glued, laminated waste wood without halogenated compounds in the lamination layer and without wood preservatives. See also the documents available for download at www.egger.com/environment:

- Manufacturer Declaration on Wood preservatives
- Manufacturer Declaration on halogenated organic compounds

Reuse	During remodeling or at the end of the utilization phase of a building, the product can easily be separated and used again for the same applications, if selective deconstruction is practiced. This is only possible if the product has not been bonded over its entire surface.
Recycling	Leftovers which accrue on the construction site as well as those from deconstruction measures should primarily be routed to a material utilization stream (use as post-consumer recycling material). The product can be recycled and used for the same purpose, since waste wood from furniture is a secondary material

	already used in the production of new particleboards.
Incineration	After its utilization phase, the product should be separated and routed to an energetic recovery, due to its high calorific value. Upon incineration, kindly observe all locally applicable legal requirements for the correct dimensions, required filter technologies, operating conditions, and legal permissions for burning wood-based panels/Particleboards.

Revision: 02
Approved: 24.10.2025

Compliances and Certifications

Production Plants and their Certifications

The product is manufactured at the following locations. You can find the certifications available for download linked in the column headings of the table below. The plant addresses are available in the footnotes. Currently, it is not possible to receive a product that has both TÜV ProfiCert and is FSC certified. This will change once more plants receive TÜV ProfiCert.

Plant	Certification Obtained by This Plant or Product				
	Quality (ISO 9001)	Environment (ISO 14001)	Energy (ISO 50001)	Wood origin (ISO 38200)	TÜV PROFiCERT-Product Interior
Biscupiec, PL	✓	✓	-	✓	-
Brilon, DE	✓	✓	✓	✓	-
Caorso, IT	✓	✓	-	-	-
Radauti, RO	✓	✓	-	✓	Premium
St. Johann in Tirol, AT	✓	✓	-	✓	-
Unterradlberg, AT	✓	✓	-	✓	Premium
Wörgl, AT*	✓	✓	-	✓	-

*This plant only produces raw particleboards.

Compliance with Building Certificates

An analysis was carried out for the requirements of the following certificates and we can state that EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR is compliant as listed in the tables below. To fulfill some of the requirements of specific building certificates it is necessary to conduct an analysis of all used building products. This means that we cannot ensure the acquiring of points and that an individual assessment is necessary for each project. Also, our product may contribute beyond the listed requirements. If not otherwise mentioned, we can provide you with the necessary documents.

General Information:

Some building certificates, for example LEED v4.1 and WELL v2™ certification schemes, demand third party certification for gathering additional points in some of their optimization credits. At this point our product is **not certified** with the following certifications:

- Cradle to Cradle, Declare, Global Green TAG, Health Product Challenge, Living Product Challenge

In doubt, please refer to the certification program holder themselves.
Please note that our products are not certified or validated in any way by the building certification program holder. Reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may change product properties and thus invalidate certificate applicability. Fabricators need to test and certify their reworked or manipulated product on their own.

Currently, it is not possible to receive a product that is both TÜV ProfiCert and FSC certified.

Click on the desired certificate for easy navigation to detailed information:

LEED v4.1	✓	QNG	✓	BREEAM International v6	✓
WELL v2™	✓	DGNB	✓	Nordic Swan	NA
CAM Italy	✓				

Relevant Documents for Building Certificates

Revision: 02
Approved: 24.10.2025

Please click on the desired document to be redirected.

Relevant Documents	LEED	BREEAM	WELL	DGNB	QNG	CAM Italy
Environmental Product Declaration (EPD)*	✓	✓		✓	✓	
TÜV PROFiCERT-interior PREMIUM**	✓	✓	✓	✓	✓	✓
Testing Protocols**				✓	✓	
3rd Party Wood Certificate* **	(✓)	(✓)		(✓)	(✓)	(✓)
Certificate ISO 38200:2018	✓	✓			✓	✓
Technical Datasheet (142, 144, 146)					✓	
Cleaning Instructions						
Processing Instructions						
Manufacturer Declaration on Timber Origin	✓			✓	✓	✓
Manufacturer Declaration on Sustainable Forestry						
Manufacturer Declaration Asbestos			✓			
Manufacturer Declaration HFR**			✓			
Manufacturer Declaration PFAS**			✓			
Manufacturer Declaration REACH	✓			✓	✓	
Manufacturer Declaration Wood Preservative				✓		
Manufacturer Declaration on Biocides**				✓	✓	
Manufacturer Declaration RoHS	✓					

✓ : relevant *depends on bought product – EPD is invalid for Caorso Plant ** please contact your sales person for document acquiring or via email: environment@egger.com

Compliance with LEED v4.1

The following table shows all LEED credits which are applicable to the usage of our product. As the achievable number of points depends on the attributes of all used materials in the LEED building project and further actions by the constructor, we cannot guarantee to obtain the maximum score.
For full requirement terms see LEED credit library at USGBC | U.S. Green Building Council.

LEED Projects Outside U.S.

Please note that formaldehyde emission requirements in LEED v4.1 are deviating for projects inside U.S.

LEED v4.1 Requirements for Building Design + Construction (BD + C)
New Construction, Core and Shell, Schools, Retail, Healthcare, Data Centers, Hospitality, Warehouses and Distribution Centers
LEED v4.1 Requirements for Interior Design and Construction (ID + C)
Commercial Interiors, Retail, Hospitality

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Credit Category	Credit Name and Description	Product Contribution	Maximum Points
Material and Resources	**Environmental Product Declaration** Option 1: ▪ Environmental Product Declaration	This product has a verified Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804 + A2 .	1 point
	Sourcing of Raw Materials Wood products ▪ Wood products must be certified by the Forest Stewardship Council ® or USGBC-approved equivalent. Recycled content ▪ Recycled content is the sum of postconsumer recycled content plus one-half of the preconsumer recycled.	The product can be purchased in 3rd party certified qualities **on request,** e.g. PEFC. Use delivery receipt as evidence document. Please see chapter "Wood Origin" for further information.	2 points (Caorso plant) 0 points (other plants)
		The recycling content of the product depends on the production plant. Check the recycling content percentage as stated in our Manufacturer Declaration on Timber Origin or contact your sales person.	1 point
	Material Ingredient Material Inventory ▪ The manufacturer has published complete content inventory of the product to at least 0.1% (1000ppm).	Please see chapter "Constituent Materials" for content inventory.	1 point
Indoor Environmental Quality	**Low-Emitting Materials** VOC Emissions Evaluation Alternative compliance path: ▪ Compliance with German AgBB Testing and Evaluation Scheme Formaldehyde Emission Evaluation ▪ Alternative compliance path: ▪ Compliance with European E1	Product complies with the LCI values of the German AgBB Testing and Evaluation scheme.	Up to 3 points (only PROFiCert certified plants)
		Product is tested per EN 717-1:2014 for formaldehyde emissions and complies with emissions class E1E05. See chapter "Product Emissions & Health Aspects" above for further information. Use the TÜV PROFiCERT-product interior certificate as evidence document.	

LEED Projects inside U.S.

LEED v4.1 Requirements for Building Design + Construction (BD + C)
New Construction, Core and Shell, Schools, Retail, Healthcare, Data Centers, Hospitality, Warehouses and Distribution Centers
LEED v4.1 Requirements for Interior Design and Construction (ID + C)
Commercial Interiors, Retail, Hospitality

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Credit Category	Credit Name and Description	Product Contribution	Maximum Points
Material and Resources	As the requirements are identical for those for projects outside the U.S., please refer to the table for LEED Projects outside U.S. .		
Indoor Environmental Quality	**Low-Emitting Materials** ▪ VOC Emissions Evaluation Product has been tested according to CDPH Standard Method v1.2-2017 ▪ Formaldehyde Emission Evaluation Certified as ultra-low emitting formaldehyde (ULEF), Certified as no added formaldehyde resins (NAF)	The product is not tested in the way these criteria require.	-
		The product does not fulfill ULEF requirements. For core board and decorative surface glue and resins on a formaldehyde base are used.	

Compliance with WELL Building Standard v2™

EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR is compliant with the preconditions for use in WELL v2 certified building. Beyond that the usage of this product may contribute to gathering additional points within the WELL scoring system. As the actually achievable number of points depends on the attributes of all materials used in the building project and further actions by the constructor, we cannot guarantee to obtain the maximum score.
For full requirement terms please see: Standard | WELL V2

The following table shows all WELL features which are applicable to the usage of our product.

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Concept	Feature and Description	Product Contribution	Maximum Points
X01 Material Restrictions	**Part 1: Restrict Asbestos**	The product complies with this precondition. Use Manufacturer Declaration – Asbestos for evidence.	Precondition
X05 Enhanced Material Restrictions	**Part 2: Select Compliant Interior Furnishings and Interior Product** Ceiling and wall finishes and demountable wall partitions contain 100ppm by weight or less of the following: ▪ Halogenated flame retardants (HFR) ▪ Orthophtalates	The product complies with this requirement. No halogenated flame retardants (HFR) are used in this product. In general, no softening agents are used in the production of Particleboards, in particular phthalates. See chapter "Constituent Materials" above for your documentation. See Manufacturer Declaration on the Use of Halogenated Compounds for evidence.	1 point

X06 Volatile Compounds	**Part 2: Restrict VOC Emissions from Furniture, Architectural and Interior Products** Tested per methods and VOC emission threshold established in one of the following: ▪ CDPH ▪ AgBB ▪ 2. All Composite wood panels meet one of the following: ▪ European E1, TSCA, F**** or LEED v4.1	Product complies with the LCI values of the German AgBB scheme. The product is tested per EN 717-1:2014 for formaldehyde emissions and complies with emissions class E1E05. See chapter "Product Emissions & Health Aspects" for further information. Use the TÜV PROFiCERT-product interior certificate as evidence document.	Up to 4 points (only PROFiCert certified plants)
X07 Material Transparency	**Part 1: Selects Products with Disclosed Ingredients** ▪ h) A manufacturers inventory down to 1000pm	The product is screened to at least 1000ppm and the manufacturer has provided a publicly available inventory within this document. See chapter "Constituent Materials" for documentation.	1 point
X08 Materials Optimization	Our product does not participate in any of the listed programs for this requirement. It does not contribute to achieve points.		0 points

BREEAM International New Construction Version 6.0

EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR is compliant with the preconditions for use in BREEAM v6.0 certified building and fulfills the emission requirements at general level. Beyond that the usage of this product may contribute to gather additional points within the BREEAM scoring system. As the actually achievable number of points depends on the attributes of all used materials in the building project and further actions by the constructor, we cannot guarantee to obtain the maximum score.

For full requirement terms please see BREEAM | Sustainable Building Certification

The following table shows all BREEAM features which are applicable to the usage of our product.

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Concept	Feature and Description	Product Contribution	Maximum Credits
Hea 02 Indoor Air Quality	**Avoidance of asbestos**	The product complies with this prerequisite. See Manufacturer Declaration – Asbestos as evidence.	Prerequisite
	Minimizing sources of air pollution – Emissions from building products General level emission criteria ▪ ≤ Formaldehyde 0.06 mg/m³ ▪ ≤ TVOC 1.0 mg/m³ ▪ Category 1A and 1B carcinogens 0.001 mg/m³	Product meets the general level emissions criteria. Use TÜV PROFiCERT - product Interior certificate as evidence document.	1 Credits (only PROFiCert certified plants)
Mat 01 Life Cycle Impacts	**Environmental Product Declarations** Products installed by Post-Construction Stage are covered with verified EPD	The product has a verified Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804 + A2	1 Credit

Mat 03 Responsible Sourcing of Construction Products	**All timber based products used on the projects are legally harvested and traded timber.**	The product is verified by the ISO 38200:2018 statements. Additionally, the product can be purchased in other 3rd party certified qualities **on request,** e.g. PEFC. Use delivery receipt as evidence. See chapter "Wood Origin" for further information.	Prerequisite

Compliance with DGNB System Version 2023 International – New Buildings Criteria Set

The DGNB Silver, Gold and Platinum ratings result from the overall level of fulfillment of the building project. Which quality levels EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR fulfills according to the DGNB system and where you can find the required verifications can be found in the following table. The contributions to the overall degree of fulfillment resulting from this according to the DGNB point system depend, among other things, on the relevance of the product group for the overall building. We can therefore not guarantee a score to be obtained through the use of EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR.

Please note that other criteria are also relevant for the overall rating of the building.

For full requirement terms please see German Sustainable Building Council | DGNB

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Category	Credit Name and Description	Product Contribution	Quality Level
ENV 1.1 Climate Action and Energy	The Building life cycle assessment requires building material data.	The product has a verified Environmental Product Declaration according to ISO 14025 and EN 15804 + A2	General requirement
ENV 1.2 Local Environmental Impact	No chemical wood preservative in the interior.	The product complies with this criterion. Use Manufacturer Declaration Wood Preservatives as evidence.	General requirement
	Only product with SVHC ≤ 0.1% used	The product complies with this criterion. See chapter "Constituent Materials" for further information Use Manufacturer Declaration REACH as evidence.	General requirement
	Criteria matrix No. 47 – coated and uncoated wood based materials: Particle board, blockboard, veneer panels, fibreboard QS3: Formaldehyde ≤ 0.1 ppm	The product complies with these criteria. Use TÜV PROFiCERT-product Interior certificate as evidence.	3 (only PROFiCert certified plants)
	Criteria matrix No. 47c – Wood-based materials for floor coverings: MMFs with wood materials QS2: Formaldehyde ≤ 0.1 ppm	The product complies with these criteria. Use TÜV PROFiCERT-product Interior certificate as evidence.	2 (only PROFiCert certified plants)

ENV 1.3 Sustainable Resource Extraction	**It must be demonstrated that at least 50% (by mass) of the permanently installed wood or wood-based materials originate from certified sustainably managed sources.**	The product is verified by the ISO 38200:2018 statements. Additionally, the product can be purchased in other 3rd party certified qualities **on request,** e.g. PEFC. Use delivery receipt as evidence. See chapter "Wood Origin" for further information.	General requirement
TEC 1.6 Circular Construction	**ZE01**: Contained hazardous substances The product contains SVHC substances >0.1 mass %	See chapter "Constituent Materials" for further information. Use Manufacturer Declaration REACH as evidence	
	ZE02: Post-consumer recycled content	See chapter "Wood Origin" for further information. Use "Manufacturer Declaration on Timber Origin" as source document.	
	ZE04: Proportion of renewable raw materials	See chapter "Constituent Materials" for further information. Use "Manufacturer Declaration on Timber Origin" as source document.	
	ZE05: Biodegradability	The product is not biodegradable.	0 points
	ZE03, ZE06-ZE09	The application of these credits depend heavily on the product use. In case of doubt, please contact your sales person for additional documents.	

Compliance with Sustainable Building Certification – QNG (Qualitätssiegel nachhaltiges Gebäude)

EGGER Decorative Particleboards JP F0,3 (F****)/GB ENF MR fulfills the requirements placed on construction products according to the QNG Sustainable Building Certification guidelines. As the actually achievable number of points depends on the attributes of all used materials in the building project and further actions by the constructor, we cannot guarantee to obtain the maximum score.
Please note that other criteria are also relevant for the overall rating of the building.
The QNG guidelines are currently only available in German.

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Category	Credit Name and Description	Product Contribution
Anlage 3: Gebäudeanfor-derungen	**ANF1: Treibhausgas und Primärenergie** ▪ Berechnung Treibhausgasemissionen im Gebäudelebenszyklus maximal 24kg CO_2 Äqu/m²a	The product has a verified Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804 + A2.
	ANF2: Nachhaltige Materialgewinnung ▪ Mindestens 50% der neu eingebaute Hölzer/Holzprodukte und/oder Holzwerkstoffe stammen nachweislich aus nachhaltiger Forstwirtschaft	The product is verified by the ISO 38200:2018 statements. Additionally, the product can be purchased in other 3rd party certified qualities **on request,** e.g. PEFC. Use delivery receipt as evidence. See chapter "Wood Origin" for further information.

Anhang 3.1.3: Schadstoff-vermeidung in Bauprodukten	**1.1 Übergreifende Anforderung für die Güte des Gebäudes** ▪ Produktdokumentation und Deklaration enthaltener SVHC >0,10 %	The product complies with these criteria. See chapter "Constituent Materials" for further information Use Manufacturer Declaration REACH as evidence.
	8. Imprägnierungen zum Zweck des chemischen Holzschutzes ▪ In Innenräumen keine Biozide zugelassen	The product complies with these criteria. Use Manufacturer Declaration on Biocides as evidence.
	9.1 & 9.2 Holzwerkstoffe für den Holzbau und Innenausbau ▪ Einhaltung AgBB-Schema ▪ Formaldehyd ≤ 0,08 ppm ▪ Reproduktionstoxische Borverbindungen ≤ 0,10%	The product complies with these criteria. See chapter "Constituent Materials" for further information. Use TÜV PROFiCERT-product Interior – certificate and Manufacturer Declaration REACH as evidence.

Compliance with CAM Italy – Minimal Environmental Criteria for Buildings and Interior Furnishing (Mindestumweltkriterien für Gebäude und Inneneinrichtungen)

The product fulfills the requirements placed on construction products according to the *Mindestumweltkriterien für Gebäude*. The *Mindestumweltkriterien für Gebäude* are currently only available in German and Italian. The analysis is based on the *Ministerialdekret 23. Juni 2022*.
For further information, please go to Autonome Provinz Bozen - Website und Hinweise - Rechtsvorschriften

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Number	Credit name and Description	Product Contribution
2.5.1 & 3.2.8	**Emissionen in geschlossenen Räumen (Luftverschmutzung in Innenräumen)** ▪ e. Platten für die Innenausstattung AgBB (Deutschland)	Product meets the emissions criteria. Use TÜV PROFiCERT - product Interior certificate as evidence document.
2.5.6	**Holzprodukte** ▪ Alle im Rahmen des Projekts verwendeten Holzprodukte müssen gemäß den Angaben unter Punkt „a" des Nachweises aus nachhaltig bewirtschafteten Wäldern stammen.	The product is verified by the ISO 38200:2018 statements. Additionally, the product can be purchased in other 3rd party certified qualities **on request,** e.g. PEFC. Use delivery receipt as evidence. See chapter "Wood Origin" for further information.
4.3.4	**Nachwachsende Rohstoffe**	The product can contribute to this criterion via this document.

The product does not fulfill the requirements placed on interior furnishing according to the *Mindestumweltkriterien für die Lieferung neuer Inneneinrichtungen* (only available in German and Italian, analysis is based on the *Ministerialdekret 23. Juni 2022*). For further information, please go to Autonome Provinz Bozen - Website und Hinweise - Rechtsvorschriften.

Please note that reworking or manipulating the product (e. g. milling, sanding, drilling, coating or lacquering) may invalidate the applicability of the following table.

Number	Credit name and Description	Product Contribution
4.1.2	**Schadstoffe in Platten aus recyceltem Holz** ▪ Prüfberichte gemäß den Verfahren laut Anlage A zum „EPF Standard for Delivery Conditions of Recycled Wood" (2002)	Data concerning these criteria is only available on request.

4.1.3	**Formaldehyd-Emissionen aus Platten** ▪ "Die Formaldehyd-Emissionen fertiger Holzplatten müssen weniger als 50% des Werts der Klasse E1 gemäß Anhang B der Norm UNI EN 13986 betragen."	The product is usable beyond the scope of this Credit. For use within the Credit scope, please ask your sales person for an alternative product that meets the criterion.
4.1.4	**Emission flüchtiger organischer Verbindungen** Die Emission flüchtiger organischer Verbindungen (TVOC) aus fertigen Erzeugnissen bzw. einem jeden der Materialien, der Bestandteile oder der Halbfertigerzeugnisse ≤ 500 µg/m^3 (nach EN 16516)	
4.1.5	**Holzprodukte** ▪ Die fertigen Produkte sind aus Holz oder Holzfaser aus nachhaltig bewirtschafteten Wäldern gefertigt oder können auch recycelt sein, bzw. können beide Anteile – nachhaltiges Holz bzw. recyceltes Holz – in variablen Anteilen mit einer Summe von 100% im Produkt enthalten sein.	The product is verified by the ISO 38200:2018 statements. Additionally, the product can be purchased in other 3rd party certified qualities **on request,** e.g. PEFC. Use delivery receipt as evidence. See chapter "Wood Origin" for further information.

Compliance with Nordic Swan

The Nordic Swan Ecolabel is a tool for evaluating environmental issues of constructing buildings. The requirements promote resource efficiency, reduced climate impact, a non-toxic circular economy and conservation of biodiversity. They also promote buildings with a good indoor climate and of high quality. The fact that the product has been declared in the Supply Chain Declaration Portal (SCDP) means that specific information about the product has been declared by EGGER. A product may not be used in a Nordic Swan Ecolabel-certified building, until it has been evaluated by an evaluator and appears in the "Declared Items" menu, in the declarant view of the SCDP portal.
The product group 089 New buildings (generation 4) includes offices, educational buildings (schools, kindergartens and day-cares) and residential buildings such as small houses, apartments, town houses, student housing and homes for the elderly or for persons with disabilities. The product group also includes homes for the elderly and nursing homes, health centers and clinics, hotels or other accommodation – and buildings accommodating conference centers. Small houses, apartment buildings and pre-school buildings are part of the product group of generation 3 and Renovation is product group generation 1.

The product is not listed in the Nordic Ecolabel Supply Chain portal.

Footnotes

Plant Addresses

Production Plant	Address
Biscupiec, PL	EGGER Biskupiec sp. z o.o., Biskupied-Kolonia Druga, Ul. Sw. Jozefa 1, 11-300 Biskupiec (PL)
Brilon, DE	EGGER Holzwerkstoffe Brilon GmbH & Co. KG, Im Kissen 19, 59929 Brilon (DE)
Caorso, IT	EGGER Italia S.p.A., Via Caorsana 5/A, 29012 Caorso, PC Italy (IT)
Radauti, RO	SC Egger Romania SRL, Str. Austriei 2, PO Box 38, 725400 Radauti, jud. Suceava (RO)
St. Johann in Tirol, AT	FRITZ EGGER GmbH & Co. OG, Holzwerkstoffe, Weiberndorf 20, 6380 St. Johann in Tirol (AT)
Unterradlberg, AT	FRITZ EGGER GmbH & Co. OG, Tiroler Straße 16, 3105 Unterradlberg (AT)
Wörgl, AT	FRITZ EGGER GmbH & Co. OG, Holzwerkstoffe, Fabriksweg 11a, 6300 Wörgl

List of Abbreviations

Abbreviation	Meaning
SVHC	Substance of Very High Concern
TSCA	Toxic Substances Control Act
HFR	Halogenated Flame Retardants
PFAS	Per- and Polyfluoroalkyl Substances
EPD	Environmental Product Declaration
GWP	Global Warming Potential
GWP-Luluc	Global Warming Potential - Land Use and Land Use Change
REACH	Regulation Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
VOC	Volatile Organic Compounds